

BROKEN CHEVRON

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring ARTISAN
BATIKS

DESERTSCAPES

by **lunn**



Finished quilt measures: 58" x 66"














Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-62 INDIGO	1-3/4 yards		H	AMD-20328-6 PURPLE	1/4 yard
	B	AMD-20327-153 SAND	1/2 yard		I	AMD-20326-213 TEAL	1/4 yard
	C	AMD-20326-268 NATURE	1/4 yard		J	AMD-20331-68 DUSTY BLUE	1/4 yard
	D	AMD-20333-267 ADVENTURE	1/4 yard		K	AMD-20330-216 CLOUD	1/4 yard
	E	AMD-20326-175 NUTMEG	1/4 yard		L	AMD-20329-200 VINTAGE	1-2/3 yard
	F	AMD-20332-267 ADVENTURE	1/4 yard		Binding*	AMD-7000-62 INDIGO	5/8 yard
	G	AMD-20328-267 ADVENTURE	1/4 yard				
Copyright 2021, Robert Kaufman For individual use only - Not for resale				You will also need: 3-2/3 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

eight 5" x WOF strip. Subcut:
sixty 5" squares for the HSTs
two 4-1/2" x WOF strips. Subcut:
thirteen 4-1/2" squares
five 2-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 2-1/2" x 48-1/2" top/bottom Border 1 strips
two 2-1/2" x 52-1/2" side Border 1 strips

From Fabric B, cut:

one 5" x WOF strip. Subcut:
six 5" squares for the HSTs
six 1-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 1-1/2" x 50-1/2" top/bottom Border 2 strips
two 1-1/2" x 56-1/2" side Border 2 strips

From each of Fabrics C-K, cut:

one 5" x WOF strip. Subcut:
six 5" squares for the HSTs

From Fabric L, cut:


two 4-1/2" x length of fabric strips. Trim:
two 4-1/2" x 58-1/2" side Border 3 strips
From the remaining width of fabric, cut:
four 4-1/2" x WOF strips. Sew together, end-to-end, then trim:
two 4-1/2" x 58-1/2" top/bottom Border 3 strips

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 5" Fabric A square with a 5" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make twelve A/B HSTs.




Step 2: Repeat to make:




twelve
A/C HSTs




twelve
A/D HSTs




twelve
A/E HSTs



twelve
A/F HSTs



twelve
A/G HSTs




twelve
A/H HSTs



twelve
A/I HSTs



twelve
A/J HSTs



twelve
A/K HSTs

Assemble the Quilt

Step 3: Arrange the HSTs and Fabric A squares into thirteen rows of eleven blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 4: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 5: Sew the rows together to form the quilt center. Press the row seams open.

Step 6: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.

Step 7: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 8: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2021. All rights reserved.